


Heirloom Tete-a-Tete

Item# L-DN1159SAL



Congratulations on your purchase of our SUNJOY Heirloom Tete-a-Tete. Our clear, easy to follow, step-by-step instructions will guide you through the assembly process from start to finish.

WARNING:

- Read and follow all Warnings & Assembly Instructions before attempting to assemble.
- Keep children away from assembly area. Children and pets should be supervised when they are in the area of construction
- Begin assembly not less than 6 feet from any obstruction such as a fence, garage, house, overhanging branches, laundry line, or electrical wires.
- Some parts may contain sharp edges. Wear protective gloves as necessary.
- For outdoor use only.
- Install on level ground. Check all bolts for tightness before and during usage.


IMPORTANT

Please take time to read these instructions thoroughly and follow each step carefully for safe and easy operation. Keep this manual for future reference.


For technical assistance on assembly or replacement parts, call Sunjoy Industries at 1-866-578-6569 from 8:30AM to 5:30PM EST, or email us at sams@sunjoygroup.com, or visit www.sunjoydirect.com for assistance.

Parts List


No.	Description	Qty
A	Armrest 1	1
B	Armrest 2	1
C	Leg 1	1
D	Leg 2	1
E	Chair Body	2
F	Table Top	1
G	Shelf	1
H	Connecting Support Bar 1	2
I	Connecting Support Bar 2	2
J	Seat Cushion	2
K	Back Cushion	2
L	Steel Spring Plate (Pre-assembled on I)	4
AA	Bolt M6x20	12
BB	Spring Washer M6	24
CC	Flat Washer M6	24
DD	Bolt M6x35	4
EE	Big Washer 25x50x3 (8pcs Pre-assembled)	16
FF	Bolt M8x40	8
GG	Bolt M8x50 (pre-assembled)	8
HH	Nut M8 (8pcs Pre-assembled)	16
II	Spring Washer M8 (8pcs pre-assembled)	16
JJ	Flat Washer M8 (8pcs Pre-assembled)	16
KK	Hex Key M6	1
LL	Wrench M8	2
MM	Bolt M6x25	8



Step 1: Insert Bolt (DD) through Spring Washer (BB), Flat Washer (CC) and Shelf (G), then lock to Leg 1&2 (C&D) by Hex Key (KK). Do not tighten them.




Step 2: Insert Bolt (AA) through Spring Washer (BB), Flat Washer (CC), and Leg 1&2 (C&D), then lock to Table Top (F) by Hex Key (KK), as shown below. Tighten all the hardware.




Step 3: Insert Connecting Support Bar 1 (H) into Armrests 1&2 (A&B) & Leg 1&2 (C&D). Insert Bolt (MM) through Spring Washer (BB), Flat Washer (CC), Armrest 1&2 (A&B) and Leg 1&2 (C&D). Then use Hex Key (KK) to lock them onto the Connecting Support Bar 1 (H), as shown in Fig 1.

Insert Bolt (AA) through Spring Washer (BB), Flat Washer (CC), Armrest 1&2 (A&B) and Leg 1&2 (C&D). Then use Hex Key (KK) to lock them onto the Connecting Support Bar 2 (I) by, as shown in Fig 2.


Do not tighten the hardware.



Step 4: Insert Bolt (FF) through Big Washer (EE), Chair Body (E), Connecting Support Bar 2 (I), Big Washer (EE), Flat Washer (JJ) and Spring Washer (II), then lock it with Nut (HH) by Wrench (LL). Tighten all the hardware.



Step 5: Put Seat Cushion (J) on Chair Body (E). Then stick the Velcro. Place Back Cushion (K) as shown below. Assembly Completed!



Care & Maintenance

Before using, clean the Tete-a-Tete completely with a soft dry towel. When not in use, wipe free of any dirt or loose objects, wash with a mild solution of soap and water; rinse thoroughly and dry completely. Do not use strong detergent or abrasive cleaners. When not in use, recommend the use of patio furniture covers.

Steel components of garden accessories and furniture are treated with rust inhibiting paint. However, due to the nature of steel, surface oxidation (rusting) will occur if this protective coating is scratched. To minimize this condition, it is recommended that care be taken when assembling and handling the product, in order to prevent the paint from being scratched.

Like all topical coatings, cleaning should be with a non-abrasive neutral pH cleaner, you may call the toll free number 877-738-7325 to obtain it from V-SEAL Sealers.

Limited Warranty:

Sunjoy Industries warrants to the original purchaser that this item is free from defects in workmanship and materials for a period of 1 year from the date of purchase, provided the item was factory-sealed at the time of purchase and is maintained with care and used only for personal, residential purposes. Should any manufacturing defect arise within this warranty period, Sunjoy Industries will repair or replace (at our option) any defective merchandise upon proof of purchase; however, transportation and delivery costs, as well as payments to a third party for assembly or disassembly of the item, remain the responsibility of the purchaser. A purchaser of an "open box," previously-returned, or "clearance" item, as well as original purchasers outside of the warranty period, may obtain replacement parts from Sunjoy Industries for products in current production, at nominal cost.

Exclusions:

Items used for commercial, contract, or other non-residential purposes, or items damaged due to acts of nature, vandalism, misuse, or improper assembly are not covered. Corrosion or rusting of hardware is not covered. Proof of purchase (dated register receipt) is required for warranty claims. Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.