

**AUTOMOTIVE FINISH** 

**HIGH GLOSS** 

## AP4050

LOW EFFORT RECOIL START ENERGY CUBE POWERD BY KOHLER English

AP4050 3050

Weather English

NEVER
FLAT

KOHLER. ENGINES


CH270 208cc, 7HP, OHV SINGLE CYLINDER, 4-STROKE ENGINE

LOW OIL SHUTDOWN PROTECTION NEVER
FLAT
WHEEL
INCLUDED









## AP4050

### **OUTLETS**



#### 12V MULTI-FUNCTION PORT 12VDC ADAPTOR PLUG / USB READY






#### **RV OUTLET** 120VAC 30A TT-30R



#### **120V DUPLEX**

**NEMA 120VAC** 20A 5-20R **HOUSEHOLD OUTLET** 
















## AP4050

#### **HEAVY DUTY FUEL TANK**

4.0 GALLON / 15.1 LITER CAPACITY 11 HOURS RUN TIME 50% LOAD

BUILT IN FUEL GAUGE




**OUTPUT**:

RUNNING WATTS: 3,050 STARTING WATTS: 4,050










## AP4050

### MOBILITY KIT - INCLUDED!





**EASY TO USE!** 











#### **Included Items**



Engine Oil SAE 10W-30





### PORTABLE GENERATOR

Owner's Manual



SAVE THIS MANUAL FOR FUTURE REFERENCE IMPORTANT SAFETY INSTRUCTIONS ARE INCLUDED IN THIS MANUAL

CUSTOMER SERVICE
SERVICE CLIENTELE
SERVICIO AL CLIENTE
888-980-4936

A-iPOWER Corp.
1477 E. Cedar St. #B,
Ontario, CA 91761
U.S.A.
www.a-ipower.com





