





## ASSEMBLY INSTRUCTIONS

# UltraHD Height Adjustable Workbench (Model No. 20141)










72 in W X 25 in D X 28.5~42 in H  
(1.82m x 63.5 cm x 72.4 cm~1.06 m)






## PARTS LIST (pg 2 of 5)

Please check the parts carefully according to the parts list. If you are missing any parts, please call our customer service department (please refer to page 5 of 5) to send you the missing parts.

	
<p><b>(#3) Wood Top x 1 PC</b></p>	<p><b>(#2) Top Crossbar x 2 PCS</b></p>
	
<p><b>(#5) Leg x 3 PCS</b></p>	<p><b>(#1) Bottom Crossbar x 1 PC</b></p>
	
<p><b>(#6) Leveling Feet x 6 PCS</b></p>	<p><b>(#40) Screw E M8 x 18L 32 PCS</b></p>
	
<p><b>(#27-B) Washer x 38 PCS</b></p>	<p><b>(#26-B) Hand Knob x 6 PCS</b></p>
	
<p><b>(#25) Wrench x 1 PC</b></p>	

# UltraHD Height Adjustable Workbench (Model No. 20141) (Pg 3 of 5)

**\*NOTE: We recommend using TWO people to assemble the work bench.**




## Step 1. Assemble Top Crossbar (#2)

Open the package, remove and place all parts to the side. Then open the package of the Solid Hardwood Top (#3).

Attach both Top crossbars (#2) to the Solid Hardwood Top (#3). Use 8 pcs Screw E (#40) with Washer (#27-B) and Wrench (#25) to tighten.

**Note: Do not fully tighten the screws after finish assembling Step 3.**




## Step 2. Adjust the Height of the Leg(#5)

1. Adjust the Leg (#5) to your desired height.


2. Insert 6 pcs of Hand Knob (#26-B) into the leg tube using Washer (#27-B).

**Note: Adjust the height of the workbench before assembling the Hand Knob (#26-B). Height range is from 28.5 in. to 42 in.**



## Step 3. Assemble Leg (#5)

Attach the Legs (#5) as the left photo shows, line up screw holes, use 18 pcs Screw E (#40) and Washer (#27-B) to tighten the leg.




**Each Leg (#5) have holes near the bottom of the frame. Make sure all the holes are facing the back of the unit.**

**Note: Fasten all screws after this step.**


# UltraHD Height Adjustable Workbench (Model No. 20141) (Pg 4 of 5)

**\*NOTE:** We recommend using TWO people to assemble the work bench.




## Step 4. Assemble Bottom Crossbar (#1)

Attach the Bottom Crossbar (#1) to the back of the Legs (#5), line up the screw holes, use 6 pcs Screw E (#40) with Washer (#27-B) and Wrench (#25) to tighten.



## Step 5. Assemble leveling Feet (#6)

After installing Bottom Crossbar (#1), insert the Leveling Feet (#6) into the Legs (#5), use Wrench (#25) to tighten.



Turn the workbench up right once you finish this step.

If you want to adjust the height of the Workbench, turn the workbench upside down. Untighten the Hand Knobs and adjust the height.

## CONTACT INFORMATION (pg 5 of 5)

\*If you are missing any parts, have any questions, or need additional assistance in assembly, please contact our bilingual (English and Spanish) customer service department at:



**Seville Classics, Inc.**  
19401 South Harborage Way  
Torrance, CA 90501  
USA

Telephone: (800) 323-5565 within USA

Hours: 9:00am - 4:30pm (Pacific Standard Time)

Fax: (310) 533-3899


E-mail: [support@sevilleclassics.com](mailto:support@sevilleclassics.com)

Website & Online Store: [www.sevilleclassics.com](http://www.sevilleclassics.com)


**\*\*\*Please visit our website or call and inquire about our additional UltraHD Line\*\*\***

---


# UltraHD Line




**Model No. 20148**  
**UltraHD Storage Cabinet**




**Model No. 20143**  
**UltraHD Storage Cabinet**




**Model No. 20140**  
**UltraHD Wall Cabinet**



**Model No. 20146**  
**UltraHD Workbench**



**Model No. 20142**  
**UltraHD Rolling Workbench**



**Model No. 20145**  
**UltraHD Rolling Cabinet**